



Approval body for construction products and types of construction

Bautechnisches Prüfamt

An institution established by the Federal and Laender Governments



European Technical Assessment

ETA-15/0388 of 30 September 2015

English translation prepared by DIBt - Original version in German language

General Part

Technical Assessment Body issuing the European Technical Assessment:

Trade name of the construction product

Product family to which the construction product belongs

Manufacturer

Manufacturing plant

This European Technical Assessment contains

This European Technical Assessment is issued in accordance with Regulation (EU) No 305/2011, on the basis of

Deutsches Institut für Bautechnik

SPIT FIX Z XTREM torque-controlled expansion anchor

Torque controlled expansion anchor for use in concrete

SPIT ANCHORS & PINS INDUSTRIAL UNIT 150 route de Lyon 26501 BOURG LES VALENCE CEDEX FRANKREICH

Spit

19 pages including 3 annexes

Guideline for European technical approval of "Metal anchors for use in concrete", ETAG 001 Part 2: "Torque controlled expansion anchors", April 2013, used as European Assessment Document (EAD) according to Article 66 Paragraph 3 of Regulation (EU) No 305/2011.



European Technical Assessment ETA-15/0388

Page 2 of 19 | 30 September 2015

English translation prepared by DIBt

The European Technical Assessment is issued by the Technical Assessment Body in its official language. Translations of this European Technical Assessment in other languages shall fully correspond to the original issued document and shall be identified as such.

Communication of this European Technical Assessment, including transmission by electronic means, shall be in full. However, partial reproduction may only be made with the written consent of the issuing Technical Assessment Body. Any partial reproduction shall be identified as such.

This European Technical Assessment may be withdrawn by the issuing Technical Assessment Body, in particular pursuant to information by the Commission in accordance with Article 25(3) of Regulation (EU) No 305/2011.

Z49127.15 8.06.01-193/15



European Technical Assessment ETA-15/0388

Page 3 of 19 | 30 September 2015

English translation prepared by DIBt

Specific Part

1 Technical description of the product

The SPIT FIX Z XTREM torque controlled expansion anchor is made of galvanised steel of sizes M8, M10, M12, M16 and M20 which is placed into a drilled hole and anchored by torque-controlled expansion.

The product description is given in Annex A.

2 Specification of the intended use in accordance with the applicable European Assessment Document

The performances given in Section 3 are only valid if the anchor is used in compliance with the specifications and conditions given in Annex B.

The verifications and assessment methods on which this European Technical Assessment is based lead to the assumption of a working life of the anchor of at least 50 years. The indications given on the working life cannot be interpreted as a guarantee given by the producer, but are to be regarded only as a means for choosing the right products in relation to the expected economically reasonable working life of the works.

3 Performance of the product and references to the methods used for its assessment

3.1 Mechanical resistance and stability (BWR 1)

Essential characteristic	Performance
Characteristic resistance for static and quasi static action and displacements	See Annex C1 – C3
Characteristic resistance for seismic performance category C1	See Annex C4 – C5
Characteristic resistance for seismic performance category C2 and displacements	See Annex C6 – C7

3.2 Safety in case of fire (BWR 2)

Essential characteristic	Performance
Reaction to fire	Anchorages satisfy requirements for Class A1
Resistance to fire	See Annex C8 – C9

3.3 Safety in use (BWR 4)

The essential characteristics regarding Safety in use are included under the Basic Works Requirement Mechanical resistance and stability.

4 Assessment and verification of constancy of performance (AVCP) system applied, with reference to its legal base

In accordance with guideline for European technical approval ETAG 001, April 2013 used as European Assessment Document (EAD) according to Article 66 Paragraph 3 of Regulation (EU) No 305/2011 the applicable European legal act is: [96/582/EC]

The system to be applied is: 1

Z49127.15 8.06.01-193/15



European Technical Assessment ETA-15/0388

Page 4 of 19 | 30 September 2015

English translation prepared by DIBt

5 Technical details necessary for the implementation of the AVCP system, as provided for in the applicable European Assessment Document

Technical details necessary for the implementation of the AVCP system are laid down in the control plan deposited at Deutsches Institut für Bautechnik.


Issued in Berlin on 30 September 2015 by Deutsches Institut für Bautechnik

Uwe Benderbeglaubigt:Head of DepartmentLange

Z49127.15 8.06.01-193/15



Installed condition



h_{min}: Minimum thickness of concrete member h₁: Depth of drilled hole to deepest point

h_{nom}: Installation depth

hef: Effective anchorage depth

 $\begin{array}{ll} t_{\text{fix}}\colon & \text{thickness of fixture} \\ T_{\text{inst}}\colon & \text{Installation torque} \\ d_0\colon & \text{Diameter of drilled hole} \end{array}$

d_f: Diameter of clearance hole in the fixture

SPIT FIX Z XTREM torque-controlled expansion anchor

Product description


Installed condition

Annex A1




Different parts of the anchor:

Size M8



Size M10 to M20



Designation of ① to ④, see Table 1, Annex A3.

Marking e.g.: S FIX Z XTREM M12x115/20

S: Manufacturer SPIT
FIX Z XTREM: Trade name
M12: Size of anchor
115: Length of the bolt

20 : Maximum thickness of the fixture

SPIT FIX Z XTREM torque-controlled expansion anchor Product description Product and marking Annex A2



Table A1: Materials

Part (see Annex 2)	Designation	Material	Protection		
0	Dolt	Carbon stool	M8 : Zinc electroplated (>5μm) EN ISO 4042:1999		
①	Bolt	Carbon steel	M10 –M20 : Zinc electroplated (>5µm) + anti-friction coating		
2	Clip	M8 : Stainless steel (1.4404)	Scouring		
	Clip	M10 – M20 : Carbon steel	Zinc electroplated (>5µm) EN ISO 4042:1999		
		M8 : NF E 25514			
3	Washer	M10-M20 : EN 10025:2004 or EN 10088-2:2005	Zinc electroplated (>5µm) EN ISO 4042:1999		
<i>a</i>	Steel , strength class 8		M8 - M10 : Zinc electroplated (>5μm) EN ISO 4042:1999		
4	Nut	DIN 267 or ISO 898-2:2012	M12 –M20 : Zinc electroplated (>5µm) + anti-friction coating		

Table A2: Washers dimensions

	Anchor size	M8	M10	M12	M16	M20	
Washer sizes d ₁ [mm] inner Ø			8,4	10,5	13	17	21
ē .	Narrow (standard version)		16	20	24	30	36
Wash type	washer type here		18	22	32	40	50
	X-broad	d₂ [mm] outer Ø	22	27	40	50	60

SPIT FIX Z XTREM torque-controlled expansion anchor	
Product descripion	Annex A3
Material, Washer dimensions	



Specifications of intended use

Anchorages subject to:

- Static and quasi-static loads: M8 to M20
- Seismic action for performance category C1: M8 to M20
- Seismic action for performance category C2: M10 to M20
- Fire exposure: M8 to M20

Base materials:

- Reinforced or unreinforced normal weight concrete to EN 206-1:2000.
- Strength classes C20/25 to C50/60 according to EN 206-1:2000.
- Cracked and non-cracked concrete

Use conditions (Environmental conditions):

Structures subject to dry indoor conditions.

Design:

- Anchorages are designed under the responsibility of an engineer experienced in anchorages and concrete work.
- Verifiable calculation notes and drawings are prepared taking account of the loads to be anchored.
 The position of the anchor is indicated on the design drawings (e. g. position of the anchor relative to reinforcement or to supports, etc.).
- Anchorages under static or quasi-static actions are designed in accordance with:
 - ETAG 001, Annex C, design method A, Edition August 2010 or
 - CEN/TS 1992-4:2009, design method A
- Anchorages under seismic action are designed in accordance with:
 - EOTA Technical Report TR 045, Edition February 2013 (Seismic performance category C1).
 - Anchorages shall be positions outside of critical regions (e.g. plastic hinges) of the concrete structure.
- Fastenings in stand-off installation or with a grout layer are not allowed.
- Anchorages under fire exposure are designed in accordance with:
 - ETAG 001, Annex C, design method A, Edition August 2010 and EOTA Technical Report TR 020, Edition May 2004 or
 - CEN/TS 1992-4:2009, Annex D
 - In case of requirements to resistance to fire local spalling of the concrete cover must be avoided.

Installation:

- Anchor installation carried out by appropriately qualified personnel and under the supervision of the person responsible for technical matters of the site.
- Hole drilling by hammer drill mode
- In case of aborted hole: new drilling at a minimum distance away of twice the depth of the aborted hole or smaller distance if the aborted hole is filled with high strength mortar and if under shear or oblique tension load it is not the direction of the load application.

SPIT FIX Z XTREM torque-controlled expansion anchor	
Intended used Specifications	Annex B1



Table B1: Anchor dimensions and Installation parameters

Spit FIX Z XTREM	L [mm]	Code letter	t _{fix,max} [mm]	d _f [mm]	h _{min} [mm]	h _{nom} [mm]	h _{ef} [mm]	d₀ [mm]	h₁ [mm]	T _{inst} [Nm]
	(0)		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
8x65/5	68	В	5							
8x75/15	78	D	15]						
8x90/30	93	E	30	9	100	55	46	8	65	
8x120/60	123	G	60] 9	100	55	46	°	65	20
8x130/70	133	н	70]						
8x140/80	143	I	80]						
10x85/5	85	D	5							
10x90/10	90	E	10]						
10x100/20	100	F	20] ,,	400	68	60	10	75	45
10x120/40	120	G	40	12	120					
10x140/60	140	ı	60	1						
10x160/80	160	-	80]						
12x100/5	100	E	5							
12x105/10	105	F	10]			70			
12x115/20	115	G	20	1	l				90	60
12x135/40	135	ı	40	14	140	80	70	12	90	60
12x155/60	155	J	60	1						
12x180/84	180	L	85]						
16x145/25	142.5	ı	25							
16x170/50	167.5	К	50	18	170	98	85	16	110	110
16x180/60	177.5	L	60]						
20x170/30	168	К	30							
20x200/60	198	М	60	22	200	113	100	20	130	160
20x220/80	218	0	80	1						

- (0) Total length of the bolt [mm]
- (1) Maximum thickness of the fixture, t_{fix,max} [mm]
- (2) Diameter of clearance hole in the fixture, d_f [mm]
- (3) Minimum thickness of concrete member, h_{min} [mm]
- (4) Minimum installation depth, h_{nom} [mm]

Dimensions illustrated in Annex A1:Installation

- (5) Effective anchorage depth, h_{ef} [mm]
- (6) Diameter of drilled hole, d₀ [mm]
- (7) Depth of drilled hole to deepest point, h_1 [mm]
- (8) Required torque moment, T_{inst} [Nm]

Table B2: Minimum member thickness, spacing and edge distance

Anchor size	М8	M10	M12	M16	M20		
Minimum thickness of concrete member h _{min} [mm]				120	140	170	200
Cracked concrete		•					
Minimum enosing	S _{min}	[mm]	50	55	60	90	100
Minimum spacing	for C ≥	[mm]	65	70	100	100	120
Minimum adap distance	C _{min}	[mm]	50	55	60	80	100
Minimum edge distance	for S ≥	[mm]	75	90	145	110	130
Non-cracked concrete							
Minimum spacing	S _{min}	[mm]	50	55	60	90	130
wimimum spacing	for C ≥	[mm]	90	70	100	105	120
Minimum edge distance	C _{min}	[mm]	50	60	60	90	100
	for S ≥	[mm]	75	120	145	140	160

SPIT FIX Z XTREM torque-controlled expansion anchor

Intended use

Anchor dimensions and Installation parameters

Minimum member thickness, spacing and edge distance

Annex B2



Installation instruction

	Drill hole perpendicular to concrete surface positioning of the drill holes without damaging to reinforcement. In case of aborted hole: new drilling at a minimum distance away of twice the depth of the aborted hole or smaller distance if the aborted hole is filled with high strength mortar and if under the shear or oblique tension load it is not in the direction of the load application.					
	Blow out dust					
	Drive in anchor, such that h_{ef} is met. This is ensured, if the thickness of fixture is not greater than the maximum thickness of fixture marked on the anchor according to Annex B2.					
Tinst Tinst	Apply installation torque T_{inst} by using calibrated torque wrench.					

SPIT FIX Z XTREM torque-controlled expansion anchor

Intended use

Installation instructions

Annex B3



Table C1: Characteristic values of tension resistance for static and quasi-static actions: Design according to ETAG001, Annex C or CEN/TS 1992-4

Anchor size		M8	M10	M12	M16	M20		
Steel failure								
Characteristic resistance	N _{Rk,s}	[kN]	22,1	29,3	38,2	64,7	99,1	
Partial safety factor	γ _{Ms} 1)	-	1,4	1,48	1,48	1,48	1,5	
Pull-out failure								
Effective anchorage depth	h _{ef}	[mm]	46	60	70	85	100	
Characteristic resistance in non- cracked concrete C20/25	$N_{Rk,p}$	[kN]	9	20	30	40	2)	
Characteristic resistance in cracked concrete C20/25	$N_{Rk,p}$	[kN]	5	9	16	20	30	
Partial safety factor	$\gamma_2 = \gamma_{inst}$	-			1,0			
		C25/30	1,10	1,04	1,04	1,07	1,10	
		C30/37	1,22	1,08	1,08	1,15	1,22	
Increasing factor for	ψ _c ³⁾	C35/45	1,34	1,12	1,12	1,23	1,34	
$N_{Rk,p}$	' c	C40/50	1,41	1,15	1,15	1,27	1,41	
		C45/55	1,48	1,17	1,17	1,32	1,48	
		C50/60	1,55	1,19	1,19	1,36	1,55	
Concrete cone failu	re and	splitting	failure 4)					
Effective anchorage depth	h _{ef}	[mm]	46	60	70	85	100	
Factor for non- cracked concrete	k _{ucr}	-			10,1			
Factor for cracked concrete	k _{cr}	-	7,2					
Spacing	S _{cr,N}	[mm]	138	180	210	255	300	
opacing	S _{cr,sp}	[mm]	276	226	252	306	370	
	C _{cr,N}	[mm]	69	90	105	127,5	150	
Edge distance	C _{cr,sp}	[mm]	138	113	126	153	185	
Partial safety factor	$\gamma_2 = \gamma_{\text{inst}}$	-			1,0			

- In absence of other national regulation,
- The pull-out failure mode is not decisive for design,
 Use concrete strength class according to EN 206-1, The maximum concrete strength is limited to f_{ck,cube}=60N/mm²,
- 4) To give proof of splitting failure due to loading use the smaller value of $N_{Rk,p}$ and $N_{Rk,c}^0$

SPIT FIX Z XTREM torque-controlled expansion anchor

Performances

Characteristic values of tension resistance for static and quasi-static actions

Annex C1



Table C2: Characteristic values of shear resistance for static and quasi-static actions: Design according to ETAG001, Annex C or CEN/TS 1992-4

Anchor size	M8	M10	M12	M16	M20			
Steel failure without lever arm								
Characteristic resistance	$V_{Rk,s}$	[kN]	13,7	16	23	45	61	
Partial safety factor	γ _{Ms} 1)	-	1,5	1,27	1,27	1,25	1,50	
Steel failure with lever arm								
Characteristic resistance	$M^0_{Rk,s}$	[N,m]	28	52,8	91,3	194,0	315,7	
Partial safety factor	γ _{Ms} 1)	-	1,5	1,27	1,27	1,25	1,50	
Concrete pry-out failure								
k Factor	k = k ₃	-	1	2	2	2	2	
Partial safety factor	$\gamma_2 = \gamma_{\text{inst}}$	-			1,0			
Concrete edge failure	,							
Effective length of anchor under shear loading	I _f	[mm]	46	60	70	85	100	
Outside diameter of anchor	d _{nom}	[mm]	8	10	12	16	20	
Partial safety factor	$\gamma_2 = \gamma_{\text{inst}}$	-	1,0					

In absence of other national regulation,

SPIT FIX Z XTREM torque-controlled expansion anchor

Performances

Characteristic values of shear resistance for static and quasi-static actions



Table C3: Displacement under tension loads for static and quasi-static actions

Anchor size			M8	M10	M12	M16	M20
Effective anchorage depth	h _{ef}	[mm]	46	60	70	85	100
Tension load in cracked concrete C20/25	N	[kN]	1,4	4,3	7,6	9,5	14,3
Displacements in	δ_{N0}	[mm]	0,3	0,4	0,4	0,4	0,4
cracked concrete under tension	δ _{N∞}	[mm]	1,3	1,6	1,7	1,7	1,7
Tension load in non-cracked concrete C20/25	N	[kN]	3,6	9,5	14,3	19,0	23,8
Displacements in non-cracked	δ_{N0}	[mm]	0,1	0,4	0,4	0,4	0,4
concrete under tension	δ _{N∞}	[mm]	1,3	1,6	1,7	1,7	1,7

Table C4: Displacement under shear loads for static and quasi-static actions

Anchor size		M8	M10	M12	M16	M20	
Effective anchorage depth	h _{ef}	[mm]	46	60	70	85	100
Shear load	V	[kN]	6,5	9	12,9	25,4	34,5
Dianlacements	δ_{V0}	[mm]	2,0	1,5	1,5	1,5	1,5
Displacements	δ _{V∞}	[mm]	3,0	2,3	2,3	2,3	2,3

SPIT FIX Z XTREM torque-controlled expansion anchor

Performances

Displacements under tension and shear loads for static and quasi-static actions



Table C5: Characteristic tension resistance for seismic loading, performance category C1: Design according to TR045

The definition of seismic performance category C1 is given in TR045.

Anchor size			M8	M10	M12	M16	M20					
Steel failure	Steel failure											
Characteristic resistance	$N_{Rk,s,C1}$	[kN]	18,5	29,3	38,2	64,7	99,1					
Partial safety factor	γ _{Ms,C1} 1)	-	1,4	1,48	1,48	1,48	1,5					
Pull-out failure												
Characteristic resistance	$N_{Rk,p,C1}$	[kN]	4,7	7,4	16,0	20,0	30,0					
Partial safety factor	γ _{2,C1}	-			1,0							
Concrete cone failu	re ²⁾											
Partial safety factor	γ _{2,C1}	-	1,0									
Splitting failure ²⁾												
Partial safety factor	γ _{2,C1}	-			1,0							

SPIT FIX Z XTREM torque-controlled expansion anchor Annex C4 **Performances** Characteristic tension resistance for seismic loading, performance category C1

In absence of other national regulation,
 For concrete cone failure and splitting failure see TR045 - §5.6.2



Table C6: Characteristic shear resistance for seismic loading, performance category C1: Design according to TR045

The definition of seismic performance category C1 is given in TR045 §5.2,

Anchor size	M8	M10	M12	M16	M20						
Steel failure											
Characteristic resistance	$V_{Rk,s,C1}$	[kN]	6	16	23	45	61				
Partial safety factor	γ _{Ms,C1} 1)	-	1,50	1,27	1,27	1,25	1,50				
Concrete pryout fai	lure ²⁾										
Partial safety factor	γ _{2,C1}	-			1,0						
Concrete edge failu	Concrete edge failure 2)										
Partial safety factor	γ _{2,C1}	-			1,0						

¹⁾ In absence of other national regulation,

Performances Characteristic shear resistance for seismic loading, performance category C1 Annex C5

²⁾ For pryout failure and concrete edge failure see TR045 - §5.6.2



Table C7: Characteristic tension resistance for seismic loading, performance category C2: Design according to TR045

The definition of seismic performance category C2 is given in TR045 §5.2.

Anchor size			M10	M12	M16	M20				
Steel failure										
Characteristic resistance	N _{Rk,s,C2}	[kN]	29,3	38,2	64,7	99,1				
Partial safety factor	γ _{Ms,C2} 1)	-	1,48	1,48	1,48	1,5				
Pull-out failure										
Characteristic resistance	$N_{Rk,p,C2}$	[kN]	2,8	6,0	18,0	25,6				
Partial safety factor	γ2,C2	-		1,	,0					
Concrete cone failu	re ²⁾									
Partial safety factor	γ _{2,C2}	-	1,0							
Splitting failure 2)	Splitting failure ²⁾									
Partial safety factor	γ2,C2	-		1,	,0					

¹⁾ In absence of other national regulation,

Table C8: Displacement under tension loads for seismic loading, performance category C2

Anchor size			M10	M12	M16	M20
Displacement DLS	$\delta_{\text{N,seis (DLS)}}$	[mm]	3,1	2,1	5,1	4,97
Displacement ULS	$\delta_{\text{N,seis (ULS)}}$	[mm]	14	7	14	13

Performances Characteristic tension resistance, and displacements under tension loads for seismic loading, performance category C2 Annex C6

²⁾ For concrete cone failure and splitting failure see TR045 - §5.6.2



Table C9: Characteristic shear resistance for seismic loading, performance category C2 Design according to TR045

The definition of seismic performance category C2 is given in TR045 §5.2.

Anchor size			M10	M12	M16	M20					
Steel failure											
Characteristic resistance	$V_{Rk,s,C2}$	[kN]	9,7	14,0	33,9	44,7					
Partial safety factor	γ _{Ms,C2} 1)	-	1,27	1,27	1,25	1,50					
Concrete pryout fail	lure ²⁾										
Partial safety factor	γ _{2,C2}	-		1,0							
Concrete edge failure 2)											
Partial safety factor	γ _{2,C2}	-		1,0							

¹⁾ In absence of other national regulation,

Table C10: Displacement under shear loads for seismic loading, performance category C2

Anchor size			M10	M12	M16	M20
Displacement DLS	$\delta_{\text{V,seis (DLS)}}$	[mm]	3,8	4,1	4,7	4,9
Displacement ULS	$\delta_{\text{V,seis (ULS)}}$	[mm]	6,0	6,3	9,0	9,0

SPIT FIX Z XTREM torque-controlled expansion anchor

Performances

Characteristic shear resistance for seismic loading, performance category C2

²⁾ For concrete pryout failure and concrete edge failure see TR045 - §5.6.2,



Table C11: Characteristic tension resistance under fire exposure in cracked and non-cracked concrete: design according to TR020 and ETAG 001, Annex C or CEN/TS 1992-4 Annex D,

Anchor size				M8	M10	M12	M16	M20
Steel failure								
	R30	$N_{Rk,s,fi}$	[kN]	0.9	0,9	1,7	3,1	4,9
Characteristic	R60	$N_{Rk,s,fi}$	[kN]	0.7	0,8	1,3	2,4	3,7
resistance	R90	$N_{Rk,s,fi}$	[kN]	0.5	0,6	1,1	2,0	3,2
	R120	$N_{Rk,s,fi}$	[kN]	0.4	0,5	0,8	1,6	2,5
Pullout failure								
	R30	$N_{Rk,p,fi}$	[kN]	1,3	2,3	4,0	5,0	7,5
Characteristic resistance in	R60	$N_{Rk,p,fi}$	[kN]	1,3	2,3	4,0	5,0	7,5
concrete ≥ C20/25	R90	$N_{Rk,p,fi}$	[kN]	1,3	2,3	4,0	5,0	7,5
	R120	$N_{Rk,p,fi}$	[kN]	1,0	1,8	3,2	4,0	6,0
Concrete cone fa	ailure							
	R30	$N_{Rkc,fi}$	[kN]	2,6	5,0	7,4	12,0	18,0
Characteristic resistance in	R60	$N_{Rkc,fi}$	[kN]	2,6	5,0	7,4	12,0	18,0
concrete ≥ C20/25	R90	$N_{Rkc,fi}$	[kN]	2,6	5,0	7,4	12,0	18,0
	R120	$N_{Rkc,fi}$	[kN]	2,1	4,0	5,9	9,6	14,4
Spacing	1-0	s _{cr,N}	[mm]			4 x h _{ef}		
Spacing	1-1	S _{min}	[mm]	50	55	100	90	100
		C _{cr,N}	[mm]			2 x h _{ef}		
Edge distance	-	C _{min}	[mm]			$c_{min} = 2 \times h_e$ rom more that thor has to be	an one side,	

In absence of other national regulations the partial safety factor for resistance under fire exposure $\gamma_{M,fi}$ = 1,0 is recommended

SPIT FIX Z XTREM torque-controlled expansion anchor	
Performances Characteristic tension resistance under fire exposure in cracked and non-cracked concrete	Annex C8



Table C12: Characteristic shear resistance under fire exposure in cracked and non-cracked concrete C20/25 to C50/60 : design according to TR020 and ETAG 001, Annex C or CEN/TS 1992-4 Annex D,

Anchor size				М8	M10	M12	M16	M20
Steel failure without level arm								
	R30	$V_{Rk,s,fi}$	[kN]	0.9	0,9	1,7	3,1	4,9
Characteristic	R60	$V_{Rk,s,fi}$	[kN]	0.7	0,8	1,3	2,4	3,7
resistance	R90	$V_{Rk,s,fi}$	[kN]	0.5	0,6	1,1	2,0	3,2
	R120	$V_{Rk,s,fi}$	[kN]	0.4	0,5	0,8	1,6	2,5
Steel failure wit	h level a	ırm						
	R30	$M^0_{Rk,s,fi}$	[Nm]	0.9	1,1	2,6	6,7	13
Characteristic	R60	$M^0_{Rk,s,fi}$	[Nm]	0.7	1,0	2,0	5,0	9,7
resistance	R90	M ⁰ _{Rk,s,fi}	[Nm]	0.5	0,7	1,7	4,3	8,4
	R120	M ⁰ _{Rk,s,fi}	[Nm]	0.4	0,6	1,3	3,3	6,5
Concrete pryout fa	ilure							
k- Factor		k = k ₃	-	1	2	2	2	2

The above values of k factor and the relevant values of N_{Rk,c,fi} given in Annex C8 Table C11 have to be considered in the design

Concrete edge failure

The characteristic resistance $V^0_{Rk,c,fi}$ in C20/25 to C50/60 concrete is determined by : $V^0_{Rk,c,fi} = 0.25 \times V^0_{Rk,c}$ (\leq R90) and $V^0_{Rk,c,fi} = 0.2 \times V^0_{Rk,c}$ (R120) with $V^0_{Rk,c}$ initial value of the characteristic resistance in cracked concrete C20/25 under normal temperature according to ETAG 001; Annex C, §5.2.3.4.

In absence of other national regulations the partial safety factor for resistance under fire exposure $\gamma_{M,fi}$ = 1,0 is recommended

SPIT FIX Z XTREM torque-controlled expansion anchor

Performances

Characteristic shear resistance under fire exposure in cracked and non-cracked concrete