

Declaration of Performance, DoP 201/2013

(Version 3)

To visualize previous versions, click on relevant link : http://www.itwcp-techdocs.eu/DoP/Archive/DOP201_V2/DOP_201_English_V2.pdf

1. Product type: Plastic coil gypsum nails
2. Identification: Paslode nails
3. Intended use: For non-load-bearing fixation of gypsum plasterboard systems
4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11(5):
ITW Construction Products
Gl. Banegaardsvej 25
DK-5500 Middelfart
5. Authorised representative: N/A
6. System of assessment: 4
7. Notified body / Test laboratory:

ITW Construction Products
Wood Fasteners R&D Center
Gl. Banegaardsvej 25
DK-5500 Middelfart

performed ITT under system 4 "determination of the product-type on the basis of type testing (based on sampling carried out by the manufacturer)".

8. Declared performance to ETA: N/A
9. Declared performance:

Notes to the table:

Performances are tested according to EN 14566:2008+A1:2009.

10. The performance of the products is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:



Jan Ditlevsen
General Manager

Middelfart, 2020-03-10

Declaration of Performance, DoP 201/2013

Nominal diameter [mm]	Length [mm]	Head diameter [mm]	Corrosion protection	Declaration according to EN 14566 + A1:2009			
				Material	Withdrawal force	Flexural strength	Reaction to fire
GYPSUM NAIL							
2,5	35 - 65	5,5 & 6,8	Electrogalv 5 µm	Steel wire acc. to EN ISO 16120-2 ASTM A510	Pass	Pass	A1
2,5	25 - 65	7	Electrogalv 5 µm	Steel wire acc. to EN ISO 16120-2 ASTM A510	Pass	Pass	A1
2,5	50	5,5	Hot-dip galvanized, 55 µm	Steel wire acc. to EN ISO 16120-2	Pass	Pass	A1
2,8	50	5,6 & 7,0	Electrogalv 5 µm	Steel wire acc. to EN ISO 16120-2 ASTM A510	Pass	Pass	A1